

```

{
  "vendor_identifier": "Rapid7",
  "version": "2.0",
  "name": "Rapid7_Login",
  "content_type": "text/xml",
  "quoting": "XMLA",
  "type": "REST_EVENT",
  "event_type": [
    "SESSION"
  ],
  "steps": [
    {
      "name": "login: remove basic auth headers",
      "body": "${XC:ASSIGN:{H:Authorization}:{S:}}",
      "operation": "NOP"
    },
    {
      "name": "login: request",
      "parse": "XMLA",
      "operation": "POST",
      "no_connection_debug": false,
      "body_list": [
        "<?xml version='1.0' encoding='UTF-8'?>",
        "<LoginRequest user-id='${UT::USERNAME}' password='${UT::PASSWORD}'/>"
      ]
    },
    {
      "name": "login: errorcheck",
      "operation": "CONDITION",
      "condition": {
        "statements": [
          {
            "op": "!=",
            "right": "${P:A:PARSE[[name]]}",
            "left": "LoginResponse"
          },
          {
            "op": "!=",
            "right": "1",
            "left": "${P:A:PARSE{{success}}}"
          }
        ],
        "condition_type": "AND",
        "else_eval": "${XC:COPY:{S:SESSID}:{P:PARSE{{session-id}}}",
        "error": true
      }
    }
  ]
}

```